

## FMEDA - Functional safety - ISSUES - Issues

#	Tracker	Status	Priority	Subject	Updated	Author	MODULES	Build Cycle	Assignee	Project	Target version	Category	Start date	Due date	Total estimated time	Created	Close d	Steps To Reproduce	Customer
23138	Bug	Fixed in Dev	Medium	When there is exactly one PCM-SM, the When exactly one... checkbox is correctly checked and the SM Name and Diag Cov fields are read-only. However, when I uncheck the When exactly one... checkbox, they should become editable and they are not.	07/29/2022 02:02 PM	Reng Raj	FST	Cycle 1	chitra Kalangiam	FMEDA - Functional safety - ISSUES			09/24/2021			09/24/2021 08:50 PM		<p>I check PCM2 and PCM5 and leave PCM3 checked:</p> <p>And press OK.</p> <p>ALL 6 PCM-SMs get included in the DFMEA and therefore appear in the Add Probability dialog (see below). The current SMs section has been photoshopped to show all 7 PCM-SMs.</p>	
23137	Bug	Fixed in Dev	Medium	It allows editing in the underlying dialog and should not. In fact, it stays there until the user pressed the close (X) button, which it should not). Also, it should look like a standard message box, which it does not.	07/29/2022 01:55 PM	Reng Raj	FST	Cycle 1	chitra Kalangiam	FMEDA - Functional safety - ISSUES			09/24/2021			09/24/2021 08:42 PM		<p>Display Add Probability dialog for a DFailU/DFail. When two or more safety mechanisms are displayed in the listbox at the bottom, the OK and Cancel buttons are shifted down and no longer available:</p> <p>You can see the OK and Cancel buttons getting shifted down, which should not happen:</p>	

#	Tracker	Status	Priority	Subject	Updated	Author	MODULES	Build Cycle	Assignee	Project	Target version	Category	Start date	Due date	Total estimated time	Created	Closed	Steps To Reproduce	Customer
23134	Bug	Fixed in Dev	Medium	If I edit an FM Distribution value: Error is displayed	07/29/2022 01:57 PM	Reng Raj	FST	Cycle 1	chitra Kalangiam	FMEDA - Functional safety - ISSUES			09/24/2021			09/24/2021 08:34 PM		And press the delete key to erase the value and then tab off the field, the Total Distribution is not recalculated. Even though the dialog recalculates when all fields contain a numeric value and a user tabs to another field, as soon as a blank is entered, recalculation does not occur.	
23133	Bug	Fixed in Dev	Medium	I click the OK button and my changes are not reflected in the Add Probability dialog underneath:	07/29/2022 01:58 PM	Reng Raj	FST	Cycle 1	chitra Kalangiam	FMEDA - Functional safety - ISSUES			09/24/2021			09/24/2021 08:31 PM		Note that values are saved in the DB, so if I re-edit the FM Dist values, what I entered are still there.  In the SRS, the sample Edit FM Dist dialog shows <Comp Name> which is a way to indicate that it should be replaced with the Comp Name's Name: So, the Edit FM Dist dialog at the top of this section should have a title of Edit FM Distribution Values for FF Carb Failures. Do not use () to enclose the component name and also leave a space after the word for.	